

SAFETY DATA SHEET

298 ASPHALT EMULSION

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

1.1 Trade Name (as labeled): 298 Asphalt Emulsion

Synonyms: None CAS No: Mixture

1.2 Product Use: Roof Coating. Foundation coating. Protective coating for metal roofs, smooth surfaced

asphalt roofs, built-up, composition, felt, fabric, and masonry roofs. Can be spray applied. Works well with polyester and fiberglass membranes used as reinforcement.

For Professional/Commercial Use.

1.3 Company Name: Western Colloid

Company Address: 654 E. 60th Street
Company Address Cont: Los Angeles, CA 90001

Business Phone: 1-800-464-8292

Website: www.westerncolloid.com

1.4 Emergency Telephone Number: 1-323-231-8292

Date of Current Revision: September 12, 2023

Date of Last Revision: New

SECTION 2 - HAZARD IDENTIFICATION

EMERGENCY OVERVIEW: This product is a black viscous liquid with low odor.

Health Hazards: May cause eye irritation. May cause mild skin irritation.

Flammability Hazards: This product is a nonflammable liquid.

Reactivity Hazards: None.

Environmental Hazards: The environmental effects of this product have not been investigated, however release may cause long term

adverse environmental effects.

EU and GHS Symbols:



Signal Word: Warning!

2.1 EU Labeling and Classification:

This product does meet the definition of a hazardous substance or preparation as defined by 29 CFR 1910. 1200 and regulation (EU) No. 2020/878 and regulation (EC) No. 1272/2008.

Index Number:

EC #232-490-9 is not listed in Annex VI EC #231-791-2 is not listed in Annex VI

Substances not listed either individually or in group entries must be self-classified.

Components Contributing to Classification: Asphalt Residual

2.2 Label Elements:

GHS Hazard Classifications: Skin Irritation Category 2

Eye Irritation Category 2A

Hazard Statements: H315: Causes skin irritation

H319: Causes serious eye irritation

Prevention Statements: P264: Wash thoroughly after handling.

P280: Wear eye protection/face protection.

Response Statements: P302+P352: IF ON SKIN: Wash with plenty of water.

P321: Specific treatment (See Section 4 of this SDS).

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

P337+P313: If eye irritation persists: Get medical advice/attention. P332+P313: If skin irritation occurs: Get medical advice/attention. P362+P364: Take off contaminated clothing and wash it before reuse.

P314: Get medical advice/attention if you feel unwell.

Storage Statements: None applicable

Disposal Statements: P501: Dispose of contents/container in accordance with Local/ Regional/

National/International regulations.

2.3 Other Hazards:

Endocrine Disruptor Information: This product does not contain chemicals on the Candidate List of substances of very high concern for Authorisation.

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Ingredients:	WT%	CAS No.	EINECS No.	Hazard Classification
Water	30-60%	7732-18-5	231-791-2	Not Classified
Asphalt	30-60%	8052-42-4	232-490-9	Skin Irritant Cat 2, Eye Irritant Cat 2A

Balance of other ingredients are non-hazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).

SECTION 4 - FIRST AID MEASURES

4.1 Description of First Aid Measures:

If product enters the eyes, flush with plenty of water or eye wash **Eye Contact:**

solution for several minutes. Remove contacts if present and easy to

do. Seek medical attention if irritation persists.

Wash skin thoroughly with soap and water after handling. Seek medical **Skin Contact:**

attention if irritation develops and persists.

If breathing becomes difficult, remove victim to fresh air. If necessary, Inhalation:

use artificial respiration to support vital functions. Seek medical

attention.

If product is swallowed, call physician or poison center immediately. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical

advice. Take a copy of the label and/or SDS with the victim to the

health professional.

Medical Conditions Generally Aggravated by

Exposure:

Ingestion:

Pre-existing skin or eye problems may be aggravated by prolonged

4.2 Symptoms and Effects Both Acute and Delayed:

4.3 Recommendations to Physicians:

Exposure to skin and eyes may cause irritation.

Treat symptoms and eliminate overexposure.

SECTION 5 - FIRE FIGHTING MEASURES

5.1 Fire Extinguishing Materials:

Carbon Dioxide: Yes Water Spray: Yes Use the following fire extinguishing materials: Foam: Yes Dry Chemical: Yes Halon: Yes Other: Any "C" Class

5.2 Unusual Fire and Explosion Hazards:

Explosive Sensitivity to Mechanical Impact: No Explosive Sensitivity to Static Discharge: No

Western Colloid Page 2 of 8

- Incipient fire responders should wear eye protection.
- Structural firefighters must wear Self-Contained Breathing Apparatus (SCBA) and full protective equipment.
- Isolate materials not yet involved in the fire and protect personnel.
 Move containers from fire area if this can be done without risk;
 otherwise, cool with carefully applied water spray.
- If possible, prevent run-off water from entering storm drains, bodies
 of water, or other environmentally sensitive areas.

of water, of other env

SECTION 6 - ACCIDENTAL RELEASE MEASURES (STEPS FOR SPILLS)6.1 Personal Precautions, Protective Equipment and Emergency Procedures:

Use cautious judgment when cleaning up spill. Wear suitable protective clothing, gloves, and eye/face protection.

6.2 Environmental Precautions:

5.3 Special Fire-Fighting Procedures:

Construct a dike to prevent spreading. Keep out of sewers, storm drains, surface waters, and soils.

6.3 Spill and Leak Response:

Small Spills:

Large Spills:

- Collect material via broom or mop. Place in tightly sealed containers for proper disposal.
- Approach spill areas with caution.
- If liquid was introduced, create a dike or trench to contain material.
 Soak up with absorbent material such as clay, sand or other suitable non-reactive material.
- Place in leak-proof containers. Seal tightly for proper disposal.
- Dispose of in accordance with U.S. Federal, State, and local hazardous waste disposal regulations and those of Canada and its Provinces, those of Australia, Japan and EU Member States (see Section 13, Disposal Considerations).

SECTION 7 - HANDLING AND STORAGE

7.1 Precautions for Safe Handling:

To prevent eye contact under the foreseeable conditions of use, wear appropriate safety eyewear. When handling, do not eat, drink, or smoke. Wash thoroughly after handling. Do not handle or store near heat, sparks, or flame.

7.2 Storage and Handling Practices:

Keep away from incompatible materials. Keep container closed when not in use and store in well ventilated area.

7.3 Specific Uses:

See Section 1.2

SECTION 8 - EXPOSURE CONTROL/PERSONAL PROTECTION

8.1 Exposure Parameters:

<u>Ingredients</u>	CAS No.	OSHA PEL	NIOSH PEL
Asphalt	8052-42-4	Not listed	Ceiling: 5 mg/m3 fume 15 min

8.2 Exposure Controls:

Ventilation and Engineering Controls:

Use with adequate ventilation to ensure exposure levels are maintained below the limits provided above.

Not required for properly ventilated areas.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132), or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

Respiratory Protection:

Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states.

Western Colloid Page 3 of 8

Safety glasses or goggles are required.

Eye Protection: If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian

Standards, and the European Standard EN166, Australian Standards,

or relevant Japanese Standards.

Chemical resistant gloves are required to prevent skin contact.

Hand Protection:

If necessary, refer to U.S. OSHA 29 CFR 1910.138, the European

Standard DIN EN 374, the appropriate Standards of Canada, Australian

Standards, or relevant Japanese Standards.

Use body protect appropriate to task being performed.

If necessary, refer to appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards. If a hazard of injury to the feet exists due to falling objects, rolling objects, where objects may pierce the soles of the feet or where employee's feet may be exposed to electrical hazards, use foot

protection, as described in U.S. OSHA 29 CFR 1910.136.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on Basic Physical and Chemical Properties:

Appearance (Physical State and Color): This product is a black viscous liquid

Odor: Low odor

Odor Threshold: No data available

pH: No data availableMelting/Freezing Point: 32°FBoiling Point: 212°F

Body Protection:

Flash Point: No data available

Flammability (Solid; Gas): No data available

Upper/Lower Flammability or Explosion Limits: Not data available

Vapor Pressure (mm Hg @ 20°C (68° F): 2.33 (kPa)

Vapor Density: 5.3

Relative Density: No data available

Specific Gravity: 1.04

Solubility in Water: No data available Weight per Gallon: No data available

Partition Coefficient (n-octanol/water): No data available

Auto-Ignition Temperature: 626°F

Decomposition Temperature: No data available

Viscosity: No data available

9.2.1 INFORMATION WITH REGARD TO PHYSICAL HAZARD CLASSES

Explosives: Not Available **Flammable Gases:** Not Available

Aerosols: Not Available

Oxidizing Gases: Not Available Gases Under Pressure: Not Available Flammable Liquids: Not Available Flammable Solids: Not Available

Self-reactive Substances and Mixtures: Not Available

Pyrophoric Liquids Not Available Pyrophoric Solids: Not Available

Self-heating Substances and Mixtures: Not Available

Substances and Mixtures, Which Emit Flammable Gases In Contact With Water: Not Available

Oxidizing Liquid: Not Available
Oxidizing Solid: Not Available
Organic Peroxides: Not Available
Corrosive To Metals: Not Available
Desenstised Explosives: Not Available
Gases Under Pressure: Not Available

9.2.2 OTHER SAFETY CHARACTERISTICS

Mechanic Sensitivity: Not Available

Self-accelerating Polymerization Temperature: Not Available **Formation Of Explosible Dust/Air Mixtures:** Not Available

Acid/Alkaline Reserve: Not Available

Western Colloid Page 4 of 8

Western Colloid 298 ASPHALT EMULSION

Evaporation Rate: Not Available Miscibility: Not Available Conductivity: Not Available Corrosiveness: Not Available Gas Group: Not Available Redox Potential: Not Available

Radical Formation Potential: Not Available Photocatalytic Properties: Not Available

SECTION 10 - STABILITY AND REACTIVITY

10.1 Reactivity: This product is not reactive.

10.2 Stability: Stable under conditions of normal storage and use.

10.3 Possibility of Hazardous Reactions: Will not occur under normal conditions.

10.4 Conditions to Avoid: Dusting conditions, contact with incompatibles.

10.5 Incompatible Substances: Oxidizing agents, strong acids.

10.6 Hazardous Decomposition Products:

Combustion may produce carbon monoxide, carbon dioxide, and other

asphyxiants.

SECTION 11 - TOXICOLOGICAL INFORMATION

11.1 Information on Toxicological Effects:

Toxicity Data: No specific data available for this product.

Acute toxicity	Based on available data, the classification criteria are not met
Skin corrosion / irritation	Skin Irritation Category 2
Serious eye damage / irritation	Eye Irritation Category 2A
Respiratory or skin sensitization	Based on available data, the classification criteria are not met
Germ cell mutagenicity	Based on available data, the classification criteria are not met
Carcinogenicity	Based on available data, the classification criteria are not met
Reproductive toxicity	Based on available data, the classification criteria are not met
STOT-single exposure	Based on available data, the classification criteria are not met
STOT-repeated exposure	Based on available data, the classification criteria are not met
Aspiration hazard	Based on available data, the classification criteria are not met

11.2 Route of Exposure:

Symptoms of Overexposure by Route of Exposure:

The most significant routes of overexposure for this product are by contact with skin or eyes. The symptoms of overexposure are described in the following paragraphs.

Acute:

Inhalation: No data available

Skin Contact: Skin contact may cause irritation.

Eye Contact: Contact with eyes may cause irritation.

Ingestion: Ingestion of this product may cause irritation.

Chronic: Repeated or prolonged exposure may cause damage to lungs.

Target Organs:

Acute: Eyes, Skin Chronic: Lungs

Western Colloid Page 5 of 8

298 ASPHALT EMULSION

* The IARC Monograph (Vol. 103, 2013, Bitumen and Bitumen Emissions) defines Asphalt as 'Group 2B, Possible Carcinogen to Humans'. This definition is based on studies of exposure to Asphalt fumes at elevated temperatures. The Monograph states that temperature plays an important role in determining the degree of exposure and also the carcinogenic potential of bitumen emissions. This same Monograph states that Asphalt is non volatile at ambient

temperature. There is no data presented in the Monograph to demonstrate that Asphalt at ambient temperature is considered a carcinogen. Since the normal use of this product is at ambient temperature, the Asphalt used in this product is not listed as a carcinogen. No other national or international agency has defined

Asphalt as a carcinogen.

Irritancy: This product is expected to be an eye and skin irritant.

Sensitization to the Product: This product is not expected to cause skin sensitization.

Germ Cell Mutagenicity:

This product does not contain ingredients that are suspected to be a

germ cell mutagenic.

Reproductive Toxicity: This product is not expected to be a human reproductive toxicant.

11.2 INFORMATION ON OTHER HAZARD CLASSES WHICH RELATES TO ENDOCIRNE DISRUPTING PROPERTIES:

No specific data available for this product.

Suspected Cancer Agent:

SECTION 12 - ECOLOGICAL INFORMATION

12.1 Toxicity:No specific data available on this product. **12.2 Persistence and Degradability:**No specific data available on this product.

12.3 Bioaccumulative Potential: Asphalt: CAS # 8052-42-4 - >6

12.4 Mobility in Soil:No specific data available on this product.12.5 Results of PBT and vPvB Assessment:No specific data available on this product.12.6 Endocrine Disrupting Properties:No specific data available on this product.

12.7 Other Adverse Effects: No data available

12.8 Water Endangerment Class: At present, there are no ecotoxicological assessments for this product.

SECTION 13 - DISPOSAL CONSIDERATIONS

Waste disposal must be in accordance with appropriate U.S. Federal,

13.1 Waste Treatment Methods: State, and local regulations, those of Australia, EU Member States and

Japan.

13.2 EU Waste Code: Not determined

SECTION 14 - TRANSPORTATION INFORMATION

14.1 U.S. Department of Transportation (DOT) Shipping Regulations (BULK):

This product is classified (per 49 CFR 172.101) by the U.S. Department of Transportation, as follows.

UN Identification Number: None

Proper Shipping Name: Not Regulated

Hazard Class Number and Description:

Packing Group:

DOT Label(s) Required:

None
North American Emergency Response Guidebook
Number:

None

14.2 Environmental Hazards:

Marine Pollutant:

The components of this product are not designated by the Department of Transportation to be Marine Pollutants (49 CFR 172.101, Appendix B).

Transportation to be Marine Pollutants (49 CFR 172.101, Appendix B).

14.3 Special Precaution for User: None

14.4 International Air Transport Association Shipping

Information (IATA):

This product is not considered as dangerous goods.

14.5 International Maritime Organization Shipping

Information (IMO):

This product is not considered as dangerous goods.

Western Colloid Page 6 of 8

SECTION 15 - REGULATORY INFORMATION

15.1 Safety, Health and Environmental Regulations Specific for the Substance or Mixture:

United States Regulations:

U.S. SARA Reporting Requirements:

The components of this product are not subject to the reporting requirements of Sections 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act.

U.S. SARA 311/312:

Acute Health: Yes; Chronic Health: Yes; Fire: No; Reactivity; No

U.S. CERCLA Reportable Quantity:

None

U.S. TSCA Inventory Status:

The components of this product are listed on the TSCA Inventory or are exempted from listing.

Other U.S. Federal Regulations:

None known

California Safe Drinking Water and Toxic Enforcement Act (Proposition 65):

WARNING This product does contain Crystalline Silica which is known to the State of California to cause cancer if in respirable form. For more information go to www.P65Warnings.ca.gov.

15.2 Canadian Regulations:

Canadian DSL/NDSL Inventory Status:

Components are DSL Listed, NDSL Listed and/or are exempt from listing

Other Canadian Regulations:

Not applicable

Canadian Environmental Protection Act (CEPA) Priorities Substances Lists:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all of the information required by those regulations.

Canadian WHMIS Classification and Symbols:

This product is classified per WHMIS Controlled Product Regulations.

15.3 European Economic Community Information:

This product meets the definition of a hazardous substance or preparation as defined by the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives. See Section 2 for Details.

Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

15.4 Australian Information for Product:

Components of this product are listed on the International Chemical Inventory list.

15.5 Japanese Information for Product:

JAPAN INDUSTRIAL SAFETY AND HEALTH LAW: This product has been classified per the Japan Industrial Safety and Health Law. See Section 2 for the GHS Classification.

15.6 International Chemical Inventories:

Listing of the components on individual country Chemical Inventories is as follows:

Australian Inventory of Chemical Substances (AICS): Listed

Korean Existing Chemicals List (ECL): Listed

Japanese Existing National Inventory of Chemical Substances (ENCS): Listed

Philippines Inventory of Chemicals and Chemical Substances (PICCS): Listed

U.S. TSCA: Listed

Western Colloid Page 7 of 8

Western Colloid 298 ASPHALT EMULSION

SECTION 16 - ADDITIONAL INFORMATION

HMIS Rating (Scale 0-4)	NFPA Rating (Scale 0-4)
Health hazard: 1	Health hazard: 1
Flammability: 0	Flammability: 0
Physical Hazard: 0	Physical Hazard: 0

Abbreviations and acronyms

ACGIH American Conference of Governmental Industrial Hygienists

CFR Code of Federal Regulations
DOT Federal Department of Transportation

GHS The Globally Harmonized System of Classification and Labelling of Chemicals

HMIS Hazardous Material Identification System

HCS Hazard Communication Standard

IARCInternational Agency for Research on CancerIATAThe International Air Transport AssociationICAOThe International Civil Aviation OrganizationIMDGInternational Maritime Dangerous GoodsIMOInternational Maritime OrganizationLD50/LC50Lethal Concentration/Dose, 50 percentNFPANational Fire Protection Association

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program
OSHA Occupational Safety and Health
PEL Permissible Exposure Limit

SARA Superfund Amendments and Reauthorization Act

TLV ACGIH Threshold Limit Value
TWA Time-Weighted Average

Prepared By: Chris Eigbrett

(MSDS to GHS Compliance)

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of the need that information is current, applicable and suited to the circumstances of use. This safety sheet cannot cover all possible situations which the user may experience during processing. Each aspect of your operation should be examined to determine if, or where, additional precautions may be necessary. All health and safety information contained in this bulletin should be provided to your employees or customers. Western Colloid assumes no responsibility for injury to vendee or third party person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, Western Colloid assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Compliance with all applicable federal, state, and local laws and local regulations remains the responsibility of the user.

REVISION HISTORY

September 12, 2023 - Document Creation

END OF SDS SHEET

Western Colloid Page 8 of 8