

SAFETY DATA SHEET

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

1.1 Trade Name (as labeled):	525 Silverwhite Aluminum
Synonyms:	None
CAS No:	Mixture
<u>1.2 Product Use:</u>	Various
<u>1.3 Company Name:</u>	Western Colloid
Company Address:	654 E. 60 th Street
Company Address Cont:	Los Angeles, CA 90001
Business Phone:	1-800-464-8292
Website:	www.westerncolloid.com
1.4 Emergency Telephone Number:	1-323-231-8292
Date of Current Revision:	September 12, 2023
Date of Last Revision:	New

SECTION 2 - HAZARD IDENTIFICATION

EMERGENCY OVERVIEW: This product is a silver grey viscous liquid.

<u>Health Hazards</u>: Exposure may cause skin and eye irritation. Prolonged or repeated inhalation exposure may cause cancer, germ cell mutagenicity, or organ damage.

Flammability Hazards: This product is a nonflammable liquid.

Reactivity Hazards: None.

Environmental Hazards: The environmental effects of this product have not been investigated, however release may cause long term adverse environmental effects.

EU and GHS Symbols:



Signal Word:

2.1 EU Labeling and Classification:

This product does meet the definition of a hazardous substance or preparation as defined by 29 CFR 1910. 1200 and regulation (EU) No. 2020/878 and regulation (EC) No. 1272/2008.

Index Number:

EC #238-878-4 is not listed in Annex VI EC #231-072-3 Annex VI #: 013-002-00-1 EC #203-544-9 Annex VI #: 609-001-00-6 EC #232-489-3 Annex VI #: 649-345-00-4

Substances not listed either individually or in group entries must be self-classified.

Components Contributing to Classification:

2.2 Label Elements:

GHS Hazard Classifications:

Asphalt, Stoddard Solvent, 1-nitropropane, Crystalline Silica in the form of Quartz

Skin Irritation Category 2 Eye Irritation Category 2A Germ Cell Mutagenicity Category 1 Carcinogenicity Category 1 Specific Target Organ Toxicity – Repeated Exposure Category 1

Hazard Statements:

H315: Causes skin irritation H319: Causes serious eye irritation H340: May cause genetic defects H350: May cause cancer H372: Causes damage to organs through prolonged or repeated exposure

525 Silverwhite Aluminum

Prevention Statements:	P201: Obtain special instructions before use.
	P202: Do not handle until all safety precautions have been read and
	understood.
	P260: Do not breathe dust/fume/gas/mist/vapours/spray.
	P264: Wash thoroughly after handling.
	P270: Do not eat, drink or smoke when using this product.
	P280: Wear eye protection/face protection.
Response Statements:	P308+P313: IF exposed or concerned: Get medical advice/attention.
Storage Statements:	P405: Store locked up.
Disposal Statements:	P501: Dispose of contents/container in accordance with Local/ Regional/ National/ International regulations.
)) Other Herender	

2.3 Other Hazards:

Endocrine Disruptor Information: This product does not contain chemicals on the Candidate List of substances of very high concern for Authorisation.

Hazardous Ingredients:	WT%	CAS No.	EINECS No.	Hazard Classification
Asphalt	15-35%	8052-42-4	232-490-9	Skin Irritant Cat 2, Eye Irritant Cat 2A
Aluminum	15-35%	7429-90-5	231-072-3	Flam Sol Cat 1, Water React Cat 2
Stoddard solvent	<2.5%	8052-41-3	232-489-3	Carc Cat 1, Muta Cat 1, STOT RE Cat 1, Asp Tox 1
1-nitropropane	<2.5%	108-03-2	203-544-9	Flam Liq Cat 3, Acute Tox 4 (Oral, Dermal, Inhal)
Crystalline Silica in the form of Quartz	<2.5%	14808-60-7	238-878-4	Carc Cat 1, STOT RE Cat 1

SECTION 4 - FIRST AID MEASURES

4.1 Description of First Aid Measures:		
Eye Contact:		with plenty of water or eye wash move contacts if present and easy to itation persists.
Skin Contact:	Wash skin thoroughly with soap attention if irritation develops an	and water after handling. Seek medical d persists.
Inhalation:	use artificial respiration to support attention.	
Ingestion:	If product is swallowed, call physician or poison center immediately. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or SDS with the victim to the health professional.	
Medical Conditions Generally Aggravated by Exposure:	Pre-existing skin or eye problem contact.	ns may be aggravated by prolonged
4.2 Symptoms and Effects Both Acute and Delayed:		eye irritation. Prolonged or repeated cancer, germ cell mutagenicity, or
4.3 Recommendations to Physicians:	Treat symptoms and eliminate overexposure.	
SECTION 5 - FIRE FIGHTING MEASURES		
5.1 Fire Extinguishing Materials:		
Use the following fire extinguishing materials:	Water Spray : Yes Foam: Yes Halon: Yes	Carbon Dioxide: Yes Dry Chemical: Yes Other: Any "C" Class
5.2 Unusual Fire and Explosion Hazards:		
Explosive Sensitivity to Mechanical Impact:	No	
Explosive Sensitivity to Static Discharge:	No	

- Incipient fire responders should wear eye protection.
- Structural firefighters must wear Self-Contained Breathing Apparatus (SCBA) and full protective equipment.
- Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray.
- If possible, prevent run-off water from entering storm drains, bodies of water, or other environmentally sensitive areas.

SECTION 6 - ACCIDENTAL RELEASE MEASURES (STEPS FOR SPILLS)

6.1 Personal Precautions, Protective Equipment and Emergency Procedures:

Use cautious judgment when cleaning up spill. Wear suitable protective clothing, gloves, and eye/face protection.

6.2 Environmental Precautions:

5.3 Special Fire-Fighting Procedures:

Construct a dike to prevent spreading. Keep out of sewers, storm drains, surface waters, and soils.

6.3 Spill and Leak Response:

Small Spills:

- Collect material via broom or mop. Place in tightly sealed containers for proper disposal.
- Approach spill areas with caution.
- If liquid was introduced, create a dike or trench to contain material. Soak up with absorbent material such as clay, sand or other suitable non-reactive material.
- Place in leak-proof containers. Seal tightly for proper disposal.
- Dispose of in accordance with U.S. Federal, State, and local hazardous waste disposal regulations and those of Canada and its Provinces, those of Australia, Japan and EU Member States (see Section 13, Disposal Considerations).

SECTION 7 - HANDLING AND STORAGE

7.1 Precautions for Safe Handling:

To prevent eye contact under the foreseeable conditions of use, wear appropriate safety eyewear. When handling, do not eat, drink, or smoke. Wash thoroughly after handling. Do not handle or store near heat, sparks, or flame.

7.2 Storage and Handling Practices:

Keep away from incompatible materials. Keep container closed when not in use and store in well ventilated area.

7.3 Specific Uses:

See Section 1.2

SECTION 8 - EXPOSURE CONTROL/PERSONAL PROTECTION

8.1 Exposure Parameters:

Ingredients	CAS No.	OSHA PEL	NIOSH PEL
Stoddard solvent	8052-41-3	(Vacated) TWA: 100 ppm (Vacated) TWA: 525 mg/m3 TWA: 500 ppm TWA: 2900 mg/m3	IDLH: 20000 mg/m3 TWA: 350 mg/m3 Ceiling: 1800 mg/m3
1-nitropropane	108-03-2	25 ppm 90 mg/m3	25 ppm 90 mg/m3
Crystalline Silica in the form of Quartz	14808-60-7	0.1 mg/m3	0.05 mg/m3

8.2 Exposure Controls:

Ventilation and Engineering Controls:

Use with adequate ventilation to ensure exposure levels are maintained below the limits provided above.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132), or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

Large Spills:

Respiratory Protection:	Not required for properly ventilated areas. Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states.
Eye Protection:	Safety glasses or goggles are required. If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian Standards, and the European Standard EN166, Australian Standards, or relevant Japanese Standards.
Hand Protection:	Chemical resistant gloves are required to prevent skin contact. If necessary, refer to U.S. OSHA 29 CFR 1910.138, the European Standard DIN EN 374, the appropriate Standards of Canada, Australian Standards, or relevant Japanese Standards.
Body Protection:	Use body protect appropriate to task being performed. If necessary, refer to appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards. If a hazard of injury to the feet exists due to falling objects, rolling objects, where objects may pierce the soles of the feet or where employee's feet may be exposed to electrical hazards, use foot protection, as described in U.S. OSHA 29 CFR 1910.136.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on Basic Physical and Chemical Properties:

Appearance (Physical State and Color): This product is a silver grey viscous liquid. Odor: Mild odor Odor Threshold: No data available pH: No data available Melting/Freezing Point: No data available Boiling Point: Same as water Flash Point: No data available Flammability (Solid; Gas): No data available Upper/Lower Flammability or Explosion Limits: Not data available Vapor Pressure (mm Hg @ 20°C (68° F): 23 hPa (17 mm Hg) Vapor Density: No data available Relative Density: No data available Specific Gravity: No data available Solubility in Water: Dispersible Weight per Gallon: No data available Partition Coefficient (n-octanol/water): No data available Auto-Ignition Temperature: 752°F Decomposition Temperature: No data available Viscosity: No data available

9.2.1 INFORMATION WITH REGARD TO PHYSICAL HAZARD CLASSES

Explosives: Not Available Flammable Gases: Not Available Aerosols: Not Available **Oxidizing Gases: Not Available** Gases Under Pressure: Not Available Flammable Liquids: Not Available Flammable Solids: Not Available Self-reactive Substances and Mixtures: Not Available Pyrophoric Liquids Not Available Pyrophoric Solids: Not Available Self-heating Substances and Mixtures: Not Available Substances and Mixtures, Which Emit Flammable Gases In Contact With Water: Not Available Oxidizing Liquid: Not Available Oxidizing Solid: Not Available Organic Peroxides: Not Available Corrosive To Metals: Not Available Desenstised Explosives: Not Available

Western Colloid

Gases Under Pressure: Not Available

9.2.2 OTHER SAFETY CHARACTERISTICS Mechanic Sensitivity: Not Available Self-accelerating Polymerization Temperature: Not Available Formation Of Explosible Dust/Air Mixtures: Not Available Acid/Alkaline Reserve: Not Available Evaporation Rate: <1 Miscibility: Not Available Conductivity: Not Available Corrosiveness: Not Available Gas Group: Not Available Redox Potential: Not Available Radical Formation Potential: Not Available Photocatalytic Properties: Not Available VOC Content (%): 2.7%

SECTION 10 - STABILITY AND REACTIVITY

10.1 Reactivity:	This product is not reactive.
10.2 Stability:	Stable under conditions of normal storage and use.
10.3 Possibility of Hazardous Reactions:	Will not occur under normal conditions.
10.4 Conditions to Avoid:	No data available.
10.5 Incompatible Substances:	No data available.
10.6 Hazardous Decomposition Products:	No dangerous decomposition products known.

SECTION 11 - TOXICOLOGICAL INFORMATION

11.1 Information on Toxicological Effects:

Toxicity Data:

No specific data available for this product.

Acute toxicity	Based on available data, the classification criteria are not met
Skin corrosion / irritation	Skin Irritation Category 2
Serious eye damage / irritation	Eye Irritation Category 2A
Respiratory or skin sensitization	Based on available data, the classification criteria are not met
Germ cell mutagenicity	Germ Cell Mutagenicity Category 1
Carcinogenicity	Carcinogenicity Category 1
Reproductive toxicity	Based on available data, the classification criteria are not met
STOT-single exposure	Based on available data, the classification criteria are not met
STOT-repeated exposure	Specific Target Organ Toxicity – Repeated Exposure Category 1
Aspiration hazard	Based on available data, the classification criteria are not met

Route of Exposure:

Symptoms of Overexposure by Route of Exposure:

The most significant routes of overexposure for this product are by contact with skin or eyes. The symptoms of overexposure are described in the following paragraphs.

Acute:

Inhalation: May cause irritation.

Skin Contact: Skin contact may cause irritation.

Eye Contact: Contact with eyes may cause irritation.

Ingestion: Ingestion of this product may cause irritation.

Chronic: Repeated or prolonged exposure may cause damage to organs.

Target Organs:

Acute: Eyes, Skin Chronic: Lungs

525 Silverwhite Aluminum

... . ..

Suspected Cancer Agent:	Ingredients within this product are found on one or more of the following lists: FEDERAL OSHA Z LIST, NTP, IARC, or CAL/OSHA and therefore are considered to be cancer-causing agents by these agencies.
	Stoddard solvent, Crystalline Silica
Irritancy:	This product is expected to be an eye and skin irritant.
Sensitization to the Product:	This product is not expected to cause skin sensitization.
Germ Cell Mutagenicity:	This product does contain ingredients that are suspected to be a germ cell mutagenic.
Reproductive Toxicity:	This product is not expected to be a human reproductive toxicant.

11.2 INFORMATION ON OTHER HAZARD CLASSES WHICH RELATES TO ENDOCIRNE DISRUPTING PROPERTIES:

No specific data available for this product.

SECTION 12 - ECOLOGICAL INFORMATION

12.1 Toxicity:	No specific data available on this product.
12.2 Persistence and Degradability:	No specific data available on this product.
12.3 Bioaccumulative Potential:	No specific data available on this product.
12.4 Mobility in Soil:	No specific data available on this product.
12.5 Results of PBT and vPvB Assessment:	No specific data available on this product.
12.6 Endocrine Disrupting Properties:	No specific data available on this product.
12.7 Other Adverse Effects:	No data available
12.8 Water Endangerment Class:	At present, there are no ecotoxicological assessments for this product.

SECTION 13 - DISPOSAL CONSIDERATIONS

13.1 Waste Treatment Methods:

Waste disposal must be in accordance with appropriate U.S. Federal, State, and local regulations, those of Australia, EU Member States and Japan. Not determined

13.2 EU Waste Code:

SECTION 14 - TRANSPORTATION INFORMATION

14.1 U.S. Department of Transportation (DOT) Shipping Regulations (BULK):

This product is classified (per 49 CFR 172.101) by the U.S. Department of Transportation, as follows.

None
Not Regulated
None
None
None
None
The components of this product are not designated by the Department of Transportation to be Marine Pollutants (49 CFR 172.101, Appendix B).
None
This product is not considered as dangerous goods.
This product is not considered as dangerous goods.

SECTION 15 - REGULATORY INFORMATION

15.1 Safety, Health and Environmental Regulations Specific for the Substance or Mixture:

United States Regulations:

U.S. SARA Reporting Requirements:

The components of this product are not subject to the reporting requirements of Sections 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act.

Western Colloid

U.S. SARA 311/312:

Acute Health: Yes; Chronic Health: Yes; Fire: No; Reactivity; No

U.S. CERCLA Reportable Quantity:

None.

U.S. TSCA Inventory Status:

The components of this product are listed on the TSCA Inventory or are exempted from listing.

Other U.S. Federal Regulations:

None known

California Safe Drinking Water and Toxic Enforcement Act (Proposition 65):

WARNING This product can expose you to chemicals such as Crystalline Silica and Titanium Dioxide which are known to the State of California to cause cancer. For more information, go to WWW.P65Warning.ca.gov.

15.2 Canadian Regulations:

Canadian DSL/NDSL Inventory Status:

Components are DSL Listed, NDSL Listed and/or are exempt from listing

Other Canadian Regulations:

Not applicable

Canadian Environmental Protection Act (CEPA) Priorities Substances Lists:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all of the information required by those regulations.

Canadian WHMIS Classification and Symbols:

This product is classified per WHMIS Hazardous Product Regulations.

15.3 European Economic Community Information:

This product meets the definition of a hazardous substance or preparation as defined by the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives. See Section 2 for Details.

Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

15.4 Australian Information for Product:

Components of this product are listed on the International Chemical Inventory list.

15.5 Japanese Information for Product:

JAPAN INDUSTRIAL SAFETY AND HEALTH LAW: This product has been classified per the Japan Industrial Safety and Health Law. See Section 2 for the GHS Classification.

15.6 International Chemical Inventories:

Listing of the components on individual country Chemical Inventories is as follows: Australian Inventory of Chemical Substances (AICS): Listed Korean Existing Chemicals List (ECL): Listed Japanese Existing National Inventory of Chemical Substances (ENCS): Listed Philippines Inventory of Chemicals and Chemical Substances (PICCS): Listed U.S. TSCA: Listed

SECTION 16 - ADDITIONAL INFORMATION

HMIS Rating (Scale 0-4)	NFPA Rating (Scale 0-4)	
Health hazard: 2	Health hazard: 2	
Flammability: 0	Flammability: 0	
Physical Hazard: 0	Physical Hazard: 0	

Abbreviations and acronyms

ACGIH	American Conference of Governmental Industrial Hygienists
CFR	Code of Federal Regulations
DOT	Federal Department of Transportation
GHS	The Globally Harmonized System of Classification and Labelling of Chemicals
HMIS	Hazardous Material Identification System
HCS	Hazard Communication Standard
IARC	International Agency for Research on Cancer
ΙΑΤΑ	The International Air Transport Association
ICAO	The International Civil Aviation Organization

Western Colloid

IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
LD50/LC50	Lethal Concentration/Dose, 50 percent
NFPA	National Fire Protection Association
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health
PEL	Permissible Exposure Limit
SARA	Superfund Amendments and Reauthorization Act
TLV	ACGIH Threshold Limit Value
TWA	Time-Weinhted Average
TWA	Time-Weighted Average

Prepared By: Chris Eigbrett

(MSDS to GHS Compliance)

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of the need that information is current, applicable and suited to the circumstances of use. This safety sheet cannot cover all possible situations which the user may experience during processing. Each aspect of your operation should be examined to determine if, or where, additional precautions may be necessary. All health and safety information contained in this bulletin should be provided to your employees or customers. Western Colloid assumes no responsibility for injury to vendee or third party person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, Western Colloid assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Compliance with all applicable federal, state, and local laws and local regulations remains the responsibility of the user.

REVISION HISTORY

September 12, 2023

- Document creation

END OF SDS SHEET